


		Specifiche tecniche
	Image	
	Model	HB-DVR5104E-D-V2H
	Main Chipset	Hi3520DV300
	RAM	512M
	ROM	128MB
Decoding	Compression	H.264
	Resolution	4*MP@6fps(24fps,manual) 4*3MP@8fps(32fps,manual) or 4*1080P@15fps(60fps,manual) or 2*1080P@30fps(60fps,automatic) or 4*720P@30fps 4*960H@30FPS
	Playback	All Ch. playback at the same time
Video/Audio Input	IP Video Input	1CH@4MP realtime ; input bandwidth:60Mbps
	5 in 1 input	AHD@4MP / TVI@3MP / CVI@2MP / IP@4MP
	Video input	4
	Audio input	1*RCA

Video/Audio Output	Video output	0
	Audio output	1*RCA
	Video loop output	0
	Video matrix output	0
	VGA(DB15)	1
	HDMI	1
	SPOT output	1
HDD	Max capacity	4TB
	RAID	N/A
	SATA	1
interface	Intercom input	0 (audio input multiplex)
	Intercom output	0 (audio out multiplex)
	USB	2(back panel)
	eSATA	N/A
	USB ex-recorder	N/A
	RJ45	100M
	Alarm in	4
	Alarm out	1

	RS232	0
	RS485	1 (half-duplex)
	UTC	Support
	IR extend	N/A
	IR	N/A
Other	+12V Alarm out	1
	Power	DC 12V 24W
	Power switch	0
	Mouse	small mouse
	CE Certification	√
	FCC Certification	√
	RoHS Certification	√