


		Specifiche tecniche
	Image	
	Model	HB-DVR5216E--D-V2H
	Main Chipset	Hi3531A
	RAM	1.5GB
	ROM	128MB
Decoding	Compression	H.264
	Resolution	16*4MP@6fps(96fps,manual) 16*3MP@8fps(128fps,manual) or 16*1080P@15fps(240fps,manual) or 8*1080P@30fps(240fps,automatic) or 16*720P@30fps  16*960H@30FPS
	Playback	All Ch. playback at the same time
Video/Audio Input	IP Video Input	4CH@4MP realtime ; input bandwidth:200Mbps
	5 in 1 input	AHD@4MP / TVI@3MP / CVI@2MP / IP@4MP
	Video input	16
	Audio input	4*RCA

<b>Video/Audio Output</b>	<b>Video output</b>	0
	<b>Audio output</b>	1*RCA
	<b>Video loop output</b>	0
	<b>Video matrix output</b>	0
	<b>VGA(DB15)</b>	1
	<b>HDMI</b>	1
	<b>SPOT output</b>	1
<b>HDD</b>	<b>Max capacity</b>	4TB
	<b>RAID</b>	N/A
	<b>SATA</b>	2
<b>interface</b>	<b>Intercom input</b>	0 ( audio input multiplex )
	<b>Intercom output</b>	0 ( audio out multiplex )
	<b>USB</b>	2(front 1 back 1)
	<b>eSATA</b>	N/A
	<b>USB ex-recorder</b>	Support
	<b>RJ45</b>	1000M
	<b>Alarm in</b>	8
	<b>Alarm out</b>	2

	<b>RS232</b>	0
	<b>RS485</b>	1 ( half-duplex )
	<b>UTC</b>	Support
	<b>IR extend</b>	N/A
	<b>IR</b>	N/A
<b>Other</b>	<b>+12V Alarm out</b>	1
	<b>Power</b>	DC 12V 40W
	<b>Power switch</b>	0
	<b>Mouse</b>	small mouse
	<b>CE Certification</b>	√
	<b>FCC Certification</b>	√
	<b>RoHS Certification</b>	√